



Strategies For Feeding Modern Showpigs

Average Muscled Barrows	Start Weight	End Weight	Lbs/day Feed	Total lbs	Bags	Days
Showpig Grower	50	175	5 – 6	330	5 – 6	60
Showpig Finisher	175	225	6 – 7	150	2	23
Powerfill	225	Show	3 – 4	50 – 100	1 – 2	30
Heavily Muscled Barrows	Start Weight	End Weight	Lbs/day Feed	Total lbs	Bags	Days
Showpig Grower	50	125	4 – 5	200	4	45
Showpig Finisher	125	175	5 – 6	150	3	26
Showpig 16	175	225	5 – 6	150	3	25
Powerfill	225	Show	3 – 4	50 - 100	1 – 2	30
Average Muscled Gilts	Start Weight	End Weight	Lbs/day Feed	Total lbs	Bags	Days
Showpig Grower	50	150	5 – 6	250	5	50
Showpig Finisher	150	225	6 – 7	225	4.5	35
Powerfill	225	Show	3 – 4	50 - 100	1 – 2	30
Heavily Muscled Gilts	Start Weight	End Weight	Lbs/day Feed	Total lbs	Bags	Days
Showpig Grower	50	100	3 – 4	100	2	30
Showpig 16	100	200	5 – 6	350	7	60
Showpig 16 & Powerfill	200	Show	4 / 2	150 / 50	3 / 1	30
Breeding Gilts	Start Weight	End Weight	Lbs/day Feed	Total lbs	Bags	Days
Showpig Grower	50	75	3 – 4	50	1	14
Showpig Finisher	75	150	5 – 6	200	4	37
Showpig 16	150	250	6 – 7	325	6.5	50
Showpig 16 & Powerfill	250	Show	4 / 2	100 / 50	2 / 1	21
Breeding Gilts	Start Weight	End Weight	Lbs/day Feed	Total lbs	Bags	Days
Showpig Grower	50	75	3-4	50	1	14
Showpig Finisher	75	150	5-6	200	4	37
Special Effect	150	Show	7 – 9	400	8	50

1. Use High Octane Champion Drive Topdress as needed to enhance muscle (1/2 to 1 lbs/day)
2. Use High Octane Power Fuel as needed to enhance cover and muscle, and improve overall health (1/2 to 1 lbs/day).
3. Growth performance can vary depending upon genetics, environment, management, facilities, and immune status. The above figures are estimates only and do not reflect a guarantee of performance.
4. Consider lowering protein and increasing energy when muscle becomes too extreme, body condition is too lean, or the pig has structural issues.
5. Add HONOR Showpig Paylean Premix at the 4.5 to 9 grams/ton level during the final 45 – 90 lbs of weight gain for faster growth and added muscle development.
6. Deworm pigs thoroughly and effectively about every 30 to 45 days through the growing season.